



PROMO ESPECIAL 2026





Promoción Valida hasta:
31.12.2026



Steelshank

SCLCR/L


	h1	h2	b	l1	l2	f						KG		STOCK	€ NET/PC
SCLCR/L 2020 K09	20	20	20	125	17	25	CCMT CCGT 09T3...	US1111	GBS1111	SS1111	BT15	0,420	x	●	56,-
SCLCR/L 2525 M09	25	25	25	150	19	32						0,740	x	●	58,-
SCLCR/L 2525 M12	25	25	25	150	20	32	CCMT CCGT 1204...	US1221	GBS1221	SS1221	BT15	0,740	x	●	58,-



Steelshank

SCSCR/L


	h1	h2	b	l1	l2	f						KG		STOCK	€ NET/PC
SCSCR/L 2020 K09	20	20	20	125	22	25	CCMT CCGT 09T3...	US1111	GBS1111	SS1111	BT15	0,420	x	●	56,-
SCSCR/L 2020 K12	20	20	20	125	24	25	CCMT CCGT 1204...	US1221	GBS1221	SS1221	BT15	0,420	x	●	56,-
SCSCR/L 2525 M12	25	25	25	150	27	32						0,740	x	●	58,-



Steelshank

SDJCR/L



	h1	h2	b	l1	l2	f						KG		STOCK	€ NET/PC
SDJCR/L 2020 K07	20	20	20	125	24	25	DCMT DCGT 0702...	--	--	SS1751	BT08	0,420	x	●	56,-
SDJCR/L 2020 K11	20	20	20	125	24	25	DCMT DCGT 11T3...	US2311	GBS1111	SS1111	BT15	0,420	x	●	56,-
SDJCR/L 2525 M11	25	25	25	150	27	32						0,740	x	●	58,-



Steelshank

SDHCR/L



	h1	h2	b	l1	l2	f						KG		STOCK	€ NET/PC
SDHCR/L 2020 K11	20	20	20	125	14,7	25	DCMT DCGT 11T3...	US2311	GBS1111	SS1111	BT15	0,420	x	●	56,-
SDHCR/L 2525 M11	25	25	25	150	21	32						0,740	x	●	58,-



Steelshank

SVJCR/L




	h1	h2	b	l1	l2	f						KG		STOCK	€ NET/PC
SVJCR/L 2020 K11	20	20	20	125	24	25	VCMT VCGT 1103...	--	--	SS1751	BT08	0,420	x	●	56,-
SVJCR/L 2020 K16	20	20	20	125	29,5	25	VCMT VCGT 1604...	US6522	GBS1111	SS1111	BT15	0,420	x	●	56,-
SVJCR/L 2525 M16	25	25	25	150	32,5	32						0,740	x	●	58,-



Steelshank

PCLNR/L



	h1	h2	b	l1	l2	f													
PCLNR/L 2020 K12	20	20	20	125	27,4	25	CNMG 1204...	UP1111E	HP1111E	SP1111E	RP1111E	MP1111	0,440	x	●	56,-			
PCLNR/L 2525 M12	25	25	25	150	28	32							0,790	x	●	58,-			



Steelshank

PWLNR/L



	h1	h2	b	l1	l2	f													
PWLNR/L 2020 K08	20	20	20	125	25	25	WNMG 0804...	UP71011E	HP1111E	SP1111E	RP1111E	MP1111	0,440	x	●	56,-			
PWLNR/L 2525 M08	25	25	25	150	25	32							0,790	x	●	58,-			

**NEW**

Steelshank

DCLNR/L

	h1	h2	b	l1	l2	f													
DCLNR/L 2020 K12	20	20	20	125	35	25	CNMG 1204...	CN 1204	DXD 0614	DYB 2412-B	MHGD 0525	TH 0814	BT20	0,440	x	●	76,-		
DCLNR/L 2525 M12	25	25	25	150	32	32								0,790	x	●	78,-		

**NEW**

Steelshank

DWLNR/L

	h1	h2	b	l1	l2	f													
DWLNR/L 2020 K08	20	20	20	125	28	25	WNMG 0804...	WN 0804	DXD 0614	DYB 2412-B	MHGD 0525	TH 0814	BT20	0,440	x	●	76,-		
DWLNR/L 2525 M08	25	25	25	150	30	32								0,790	x	●	78,-		



Especially with small machining diameters, N-PREMIUM boring bars prevent chips jamming in the workpiece.




STANDARD





N-PREMIUM

Reliable chip evacuation due to spiral flutes.





Optimised for the smallest minimum pre-drill diameter.



Steelshank

N-PREMIUM A-SCLCR/L



	d	l (mm)		f	D _{min}						KG		STOCK	€ _{NET/PC.}
		l1	l2											
A08H SCLCR/L 06 N-PREMIUM	8	100	20	5	10						0,040		●	84,-
A10K SCLCR/L 06 N-PREMIUM	10	125	20	6	12	CCMT CCGT 0602...	--	--	VT25B	BT08	0,080		●	88,-
A12L SCLCR/L 06 N-PREMIUM	12	140	24,2	7	14						0,140		●	94,-
A16Q SCLCR/L 09 N-PREMIUM	16	180	31	9	18						0,250		●	114,-
A20R SCLCR/L 09 N-PREMIUM	20	200	36	11	22	CCMT CCGT 09T3...	--	--	VT40B	BT15	0,500		●	126,-
A25R SCLCR/L 09 N-PREMIUM	25	200	43	13,5	27						0,700		●	164,-
A25R SCLCR/L 12 N-PREMIUM	25	200	43	13,5	27	CCMT CCGT 1204...	--	--	VT50	BT20	0,700		●	164,-



Steelshank

N-PREMIUM A-SDUCR/L



	d	l (mm)		f	D _{min}						KG		STOCK	€ _{NET/PC.}
		l1	l2											
A10K SDUCR/L 07 N-PREMIUM	10	125	20	7	13						0,080		●	88,-
A12L SDUCR/L 07 N-PREMIUM	12	140	25	8	15	DCMT DCGT 0702...	--	--	VT25B	BT08	0,120		●	94,-
A16Q SDUCR/L 07 N-PREMIUM	16	180	28	10	19						0,250		●	114,-
A16Q SDUCR/L 11 N-PREMIUM	16	180	28	14	23						0,250		●	114,-
A20R SDUCR/L 11 N-PREMIUM	20	200	36	13	25	DCMT DCGT 11T3...	--	--	VT40B	BT15	0,500		●	126,-
A25R SDUCR/L 11 N-PREMIUM	25	200	40	16	31						0,700		●	164,-



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SDQCR/L



	d	l1	l2	f	Dmin						KG		STOCK	€ _{NET/PC}
A10K SDQCR/L 07 N-PREMIUM	10	125	20	7	13	DCMT DCGT 0702...	--	--	VT25B	BT08	0,080		●	88,-
A12L SDQCR/L 07 N-PREMIUM	12	140	25	8	15						0,120		●	94,-
A16Q SDQCR/L 07 N-PREMIUM	16	180	28	10	19						0,250		●	114,-
A16Q SDQCR/L 11 N-PREMIUM	16	180	28	14	23	DCMT DCGT 11T3...	--	--	VT40B	BT15	0,250		●	114,-
A20R SDQCR/L 11 N-PREMIUM	20	200	36	13	25						0,500		●	126,-
A25R SDQCR/L 11 N-PREMIUM	25	200	40	16	31						0,700		●	164,-



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-STFCR/L

	d	l1	l2	f	Dmin						KG		STOCK	€ _{NET/PC}
A10K STFCR/L 11 N-PREMIUM	10	125	22	6	12	TCMT TCGT 1102...	--	--	VT25B	BT08	0,080		●	88,-
A12L STFCR/L 11 N-PREMIUM	12	140	24,3	7	14						0,120		●	94,-
A16Q STFCR/L 11 N-PREMIUM	16	180	31	9	18						0,250		●	114,-
A20R STFCR/L 11 N-PREMIUM	20	200	36	11	22						0,500		●	126,-



Stelo in acciaio _ Stahlschaft _ Steelshank

N-PREMIUM A-SVUBR/L

	d	l1	l2	f	Dmin						KG		STOCK	€ _{NET/PC}
A16Q SVUBR/L 11 N-PREMIUM	16	180	31	11	20	VBMT VBGT 1103...	--	--	VT25B	BT08	0,250		●	114,-
A20R SVUBR/L 11 N-PREMIUM	20	200	36	13	24						0,500		●	126,-
A25R SVUBR/L 16 N-PREMIUM	25	200	40	17	31	VBMT VBGT 1604...	--	--	VT40B	BT15	0,700		●	164,-

N-PREMIUM A-SVUCR/L

	d	l1	l2	f	Dmin						KG		STOCK	€ _{NET/PC}
A16Q SVUCR/L 11 N-PREMIUM	16	180	31	11	20	VCMT VCGT 1103...	--	--	VT25B	BT08	0,250		●	114,-
A20R SVUCR/L 11 N-PREMIUM	20	200	36	13	24						0,500		●	126,-
A25R SVUCR/L 16 N-PREMIUM	25	200	40	17	31	VCMT VCGT 1604...	--	--	VT40B	BT15	0,700		●	144,-

		SET AH =	HSS
		SET A =	STEEL
		SET S =	STEEL



PROFI-BOX HSS CC..0602 SET




HSS

Art. SET AH SCLCR 06
Art. SET AH SCLCL 06

n° 1		AH 0608H	SCLCR/L 06
n° 1		AH 0810J	SCLCR/L 06
n° 1		AH 1012K	SCLCR/L 06
n° 1		AH 1216M	SCLCR/L 06

● 358,-

CATALOGUE RANGE	d	L1	L2	f	D min
AH 0608H... 06	8	100	25	4	8,5
AH 0810J... 06	10	110	32	6	12
AH 1012K... 06	12	125	38	7	14
AH 1216M... 06	16	150	50	9	18



BOX STEEL CC..0602 SET



STEEL

Art. SET A SCLCR 06
Art. SET A SCLCL 06

n° 1		A0608H	SCLCR/L 06
n° 1		A0810J	SCLCR/L 06
n° 1		A1012K	SCLCR/L 06
n° 1		A1216M	SCLCR/L 06

● 178,-

Art. SET S SCLCR 06

n° 1		S0608H	SCLCR 06
n° 1		S0810J	SCLCR 06
n° 1		S1012K	SCLCR 06
n° 1		S1216M	SCLCR 06

x ● 138,-

CATALOGUE RANGE	d	d1	L1	L2	f	D min
S/A 0608H... 06	8	6	100	21,5	4,2	8
S/A 0810J... 06	10	8	110	27	6	11
S/A 1012K... 06	12	10	125	32,5	7	13
S/A 1216M... 06	16	12	150	42	9	16



PROFI-BOX HSS DC..0702 SET




HSS

Art. SET AH SDUCR 07
Art. SET AH SDUCL 07

n° 1		AH 0810H	SDUCR/L 07
n° 1		AH 1012K	SDUCR/L 07
n° 1		AH 1216M	SDUCR/L 07

● 358,-

CATALOGUE RANGE	d	L1	L2	f	f1	D min
AH 0810H... 07	10	100	22	7	5	12,5
AH 1012K... 07	12	125	28	9	5	15,5
AH 1216M... 07	16	150	36	11	5	19,5



BOX STEEL DC..0702 SET



STEEL

Art. SET A SDUCR 07
Art. SET A SDUCL 07

n° 1		A0810H	SDUCR/L 07
n° 1		A1012K	SDUCR/L 07
n° 1		A1216M	SDUCR/L 07

● 198,-


Art. SET S SDUCR 07

n° 1		S0810H	SDUCR 07
n° 1		S1012K	SDUCR 07
n° 1		S1216M	SDUCR 07

x ● 158,-

CATALOGUE RANGE	d	l1	l2	f	f1	Dmin
S/A 0810H...07	10	100	22,5	6,5	4,4	12,5
S/A 1012K...07	12	125	27,5	9	5,9	15,5
S/A 1216M...07	16	150	40,5	11	4,9	18

	SET E =	CARBIDE
	SET AH =	HSS
	SET A =	STEEL




PROFI-BOX CC..0602 SET



STOCK
€NET/PC

NEW	CARBIDE	Art. SET E SCLCR 06	n° 1		E08K	SCLCR/L 06		●	498,-
		Art. SET E SCLCL 06	n° 1		E10K	SCLCR/L 06		●	
			n° 1		E12M	SCLCR/L 06		●	
NEW	HSS	Art. SET AH SCLCR 06 N-PREMIUM	n° 1		AH08K	SCLCR/L 06		●	358,-
		Art. SET AH SCLCL 06 N-PREMIUM	n° 1		AH10K	SCLCR/L 06		●	
			n° 1		AH12M	SCLCR/L 06		●	
NEW	STEEL	Art. SET A SCLCR 06 N-PREMIUM	n° 1		A08H	SCLCR/L 06 N...		●	278,-
		Art. SET A SCLCL 06 N-PREMIUM	n° 1		A10K	SCLCR/L 06 N...		●	
			n° 1		A12L	SCLCR/L 06 N...		●	

CATALOGUE RANGE	d	L1	L2	f	D min
E 08K ... 06	8	125	10	5	10
E 10K ... 06	10	125	10	6	12
E 12M ... 06	12	150	10	8	14
AH 08K ... 06	8	125	20	5	10
AH 10K ... 06	10	125	20	6	12
AH 12M ... 06	12	150	20	7	13
A 08H ... 06 N...	8	100	20	5	10
A 10K ... 06 N...	10	125	20	6	12
A 12L ... 06 N...	12	140	24	7	14




PROFI-BOX DC..0702 SET



STOCK
€NET/PC

NEW	CARBIDE	Art. SET E SDUCR 07	n° 1		E10K	SDUCR/L 07		●	478,-
		Art. SET E SDUCL 07	n° 1		E12M	SDUCR/L 07		●	
			n° 1		AH10K	SDUCR/L 07		●	258,-
NEW	HSS	Art. SET AH SDUCR 07 N-PREMIUM	n° 1		AH12M	SDUCR/L 07		●	
		Art. SET AH SDUCL 07 N-PREMIUM	n° 1		A10K	SDUCR/L 07 N...		●	198,-
			n° 1		A12M	SDUCR/L 07 N...		●	

CATALOGUE RANGE	d	L1	L2	f	D min
E 10K ... 07	10	125	10	7	12,5
E 12M ... 07	12	150	12,5	9	15
AH 10K ... 07	10	125	20	8	14
AH 12M ... 07	12	150	25	9	16
A 10K ... 07 N...	10	125	20	7	13
A 12M ... 07 N...	12	150	25	8	15



BOX CARBIDE CC..0602 SET




STOCK
€NET/PC

NEW	CARBIDE	Art. SET C SCLCR 06	n° 1		C08K	SCLCR 06		●	438,-
			n° 1		C10K	SCLCR 06		●	
			n° 1		C12M	SCLCR 06		●	

CATALOGUE RANGE	d	L1	L2	f	D min
C 08K ... 06	8	125	10	5	10
C 10K ... 06	10	125	10	6	12
C 12M ... 06	12	150	10	8	14

DISPONIBLE SOLO HASTA AGOTAR EXISTENCIAS



740W ECO


	D	d	L (mm)		p	β	Z				KG		STOCK	€ NET/PC
740W D16/2 ECO	16	16	85	37	10	--	2	APHT APHX APKT 1003 ...	VT25	BT08	0,130	x	●	58,-
740W D20/3 ECO	20	20	90	40	10	--	3				0,200	x	●	78,-
740W D25/4 ECO	25	25	105	49	10	--	4				0,340	x	●	90,-



740M ECO





730M ECO



740M ECO 730M ECO

	D	d	H (mm)		p	β	Z				KG		STOCK	€ NET/PC
740M D40/6 ECO	40	16	40	10	--	6	APHT APHX APKT 1003...	VT25	BT08		0,270	x	●	138,-
740M D50/7 ECO	50	22	40	10	--	7					0,430	x	●	150,-
730M D40/4 ECO	40	16	40	17	--	4	APHT APHX APKT 1604 ...	VT40	BT15		0,210	x	●	112,-
730M D50/5 ECO	50	22	40	17	--	5					0,290	x	●	130,-
730M D63/6 ECO	63	22	40	17	--	6					0,530	x	●	150,-



600 M ECO

	D	De	H (mm)		p	β	Z				KG		STOCK	€ NET/PC
600M D50-12/4 ECO	50	63	22	48	6	--	4	SEHT SEHX SEKT 1204...	VT50	BT20	0,480	x	●	118,-
600M D63-12/5 ECO	63	76	22	48	6	--	5				0,760	x	●	138,-
600M D80-12/6 ECO	80	93	27	50	6	--	6				1,270	x	●	180,-
600M D100-12/6 ECO	100	113	32	50	6	--	6				1,790	x	●	198,-



APKT 1003 PDR-M
K400

PROFI-BOX APKT 1003 SET W



STOCK



Art. SET 740W D16 ECO	n° 1		740W D16/2 ECO	x	●	170,-
	n° 20		APKT 1003 PDR-M K400			
Art. SET 740W D20 ECO	n° 1		740W D20/3 ECO	x	●	190,-
	n° 20		APKT 1003 PDR-M K400			
Art. SET 740W D25 ECO	n° 1		740W D25/4 ECO	x	●	198,-
	n° 20		APKT 1003 PDR-M K400			



APKT 1003 PDR-M
K400

PROFI-BOX APKT 1003 SET M



STOCK



Art. SET 740M D40 ECO	n° 1		740M D40/6 ECO	x	●	258,-
	n° 20		APKT 1003 PDR-M K400			
Art. SET 740M D50 ECO	n° 1		740M D50/7 ECO	x	●	270,-
	n° 20		APKT 1003 PDR-M K400			



APKT 1604 PDR-M
K400

PROFI-BOX APKT 1604 SET M



STOCK



Art. SET 730M D40 ECO	n° 1		730M D40/4 ECO	x	●	248,-
	n° 20		APKT 1604 PDR-M K400			
Art. SET 730M D50 ECO	n° 1		730M D50/5 ECO	x	●	268,-
	n° 20		APKT 1604 PDR-M K400			
Art. SET 730M D63 ECO	n° 1		730M D63/6 ECO	x	●	288,-
	n° 20		APKT 1604 PDR-M K400			



SEKT 1204 AFTN
K400

PROFI-BOX SEKT 1204 SET M



STOCK




Art. SET 600M D50 ECO	n° 1		600M D50-12/4 ECO	x	●	256,-
	n° 20		SEKT 1204 AFTN K400			
Art. SET 600M D63 ECO	n° 1		600M D63-12/5 ECO	x	●	276,-
	n° 20		SEKT 1204 AFTN K400			
Art. SET 600M D80 ECO	n° 1		600M D80-12/6 ECO	x	●	318,-
	n° 20		SEKT 1204 AFTN K400			



BOX TCMX SET W

Art. SET 311W W

n°	Icon	Part Number	Stock	Price
n° 1		311.020WW		230,-
n° 4		TCMX 16T3ZR TIN		




CATALOGUE RANGE	Ø dh6	L	L1	Y°	Z	D min	D max	Icon
311.020 WW	20	115	40	45°	1	0,4	20	
311.020 WWL	20	150	60	45°	1	0,4	20	
311.020 WWXL	20	200	80	45°	1	0,4	20	




BOX SEEX SET W

Art. SET 160 W 45°

n°	Icon	Part Number	Stock	Price
n° 1		160.45 W		250,-
n° 5		SEEX 12T408 TIN		



CATALOGUE RANGE	Ø dh6	DS	L	L1	Y°	Z	D min	D max	Icon
160.45 W	16	0,8	120	40	45°	1	0,8	17	
160.30 W	16	0,8	120	40	30°	1	0,8	21	




BOX TCGX SET C


Art. SET 7745-0525

n°	Icon	Part Number	Stock	Price
n° 1		7745VT16-C12-0525		250,-
n° 4		TCGX 163504 K400		

Art. SET 7745-2545

n°	Icon	Part Number	Stock	Price
n° 1		7745VT16-C12-2545		418,-
n° 4		TCGX 163504 K400		


SUITABLE FOR POWER DRILLS.



CATALOGUE RANGE	Ø dh6	L	Y°	Z	D	D1	Icon
7745VT16-C12-0525	12	78	45°	1	25	5	
7745VT16-C12-2545	12	78	45°	1	45	25	


NEW
**FOR COUNTERSINKING
from M10 to M20**











NOT SUITABLE FOR POWER DRILLS.











301 W	ØD1	ØD2	L	M	Ødh6	Y°	Z				KG	STOCK	€NET/PC
301W W M10	7	19	100	M10	16	45°	2				0,160	●	88,-
301W W M12	11	23	100	M12	16	45°	2	TCMT 1102...	VT25B	BT08	0,170	●	96,-
301W W M14	11	26	100	M14	16	45°	2				0,170	●	104,-
301W W M16	12	30	100	M16	20	45°	2				0,250	●	104,-
301W W M18	16	34	100	M18	20	45°	2	TCMT 16T3...	VT40	BT15	0,280	●	118,-
301W W M20	19	37	100	M20	20	45°	2				0,300	●	128,-

Order No.	Figure	(mm)					Designation	STOCK	€NET/PC MIN. n° 100 pz/St/pcs
		l	d	s	d1	r			
 TCMT		11	6,35	2,38	2,8	0,4	TCMT 110204-MK K400	●	4,80
		16	9,52	3,97	4,4	0,4	TCMT 16T304-MK K400	●	7,60



Order No.	Figure	(mm)					Designation	STOCK	€ MIN. n° 100 pz/St/pcs
		l	d	s	d1	r			
 APKT... PDR-M		10	6,7	3,50	3,2	0,5	APKT 1003 PDR-M K400	●	6,20
		16,3	9,5	5,26	4,4	0,9	APKT 1604 PDR-M K400	●	7,40
 APKT... PDER-S		10,5	6,7	3,50	2,8	0,4	APKT 1003 PDER-S P200 / P300 / K300	●	9,40
		17	9,5	5,30	4,5	0,8	APKT 1604 PDER-S P200 / P300 / K300	●	10,20
 APKT... PDFR... ALU		10,5	6,7	3,5	2,8	0,4	APKT 1003 PDFR-R04 ALU K15	●	9,80
		17	9,45	5,26	4,4	0,4	APKT 1604 PDFR-R04 ALU K15	●	10,60
		17	9,45	5,26	4,4	0,8	APKT 1604 PDFR-R08 ALU K15	●	10,60
 SNMX 1206...MB1		12,7	2,5	6,4	5,2	2,36	SNMX 1206 ANN-MB1 P200 / P300 / K300	●	13,40
 SNKX 1206		12,7	2,5	6,4	5,2	2,36	SNKX 1206 ANN-MM1 K400	●	10,80
 SEKT...		12,7	12,7	4,76	5,5	-	SEKT 1204 AFTN K400	●	9,00
 SEHT 13T3		13,4	13,4	3,97	4,1	1,5	SEHT 13T3 K400	●	9,80
 TCGX		16,5	9,52	3,97	4,4	0,4	TCGX 163504 K400	●	23,00
 TCMX		16,5	9,52	3,97	4,4	0,4	TCMX 16T3 ZR TIN	●	23,00
 SEEX		12,25	12,25	5,25	4,8	0,8	SEEX 12T408 TIN	●	23,80
 WNEU-N		7,5	12,5	6,56	4,6	0,8	WNEU 080608-MB P200-N / P300-N / K300-N	●	11,80
 WNEU...		7,5	12,5	6,56	4,6	0,8	WNEU 080608-MB K400	●	10,60

Order No.	Figure	(mm)					Designation	STOCK	€ NET/PC MIN. n° 100 pz/St/pcs
		l	d	s	d1	r			
		6,4	6,35	2,38	2,8	0,4	CCMT 060204 K400	●	6,20
		9,7	9,52	3,97	4,4	0,4	CCMT 09T304 K400	●	7,00
		9,7	9,52	3,97	4,4	0,8	CCMT 09T308 K400	●	7,00
		12,9	12,7	4,76	5,5	0,4	CCMT 120404 K400	●	8,80
		12,9	12,7	4,76	5,5	0,8	CCMT 120408 K400	●	8,80
CCMT									
		6,4	6,35	2,38	2,8	0,4	CCGT 060204-ALU K15	●	8,60
		9,7	9,52	3,97	4,4	0,4	CCGT 09T304-ALU K15	●	10,80
		12,9	12,7	4,76	5,5	0,4	CCGT 120404 ALU K15	●	12,40
CCGT... ALU									
		7,75	6,35	2,38	2,8	0,4	DCMT 070204 K400	●	6,20
		11,6	9,52	3,97	4,4	0,4	DCMT 11T304 K400	●	7,60
		11,6	9,52	3,97	4,4	0,8	DCMT 11T308 K400	●	7,60
DCMT									
		7,75	6,35	2,38	2,8	0,4	DCGT 070204 -ALU K15	●	8,60
		11,6	9,52	3,97	4,4	0,4	DCGT 11T304-ALU K15	●	9,80
DCGT... ALU									
		11	6,35	2,38	2,6	0,4	TCMT 110204 K400	●	5,80
		16	9,52	3,97	4,4	0,4	TCMT 16T304 K400	●	7,60
		16	9,52	3,97	4,4	0,8	TCMT 16T308 K400	●	7,60
TCMT									
		11	6,35	2,38	2,8	0,4	TCGT 110204-ALU K15	●	8,20
		16,5	9,52	3,97	4,4	0,4	TCGT 16T304-ALU K15	●	10,80
TCGT... ALU									
		11,1	6,35	3,18	2,9	0,4	VCMT 110304 K400	●	11,20
		16,6	9,52	4,76	4,4	0,4	VCMT 160404 K400	●	12,60
		16,6	9,52	4,76	4,4	0,8	VCMT 160408 K400	●	12,60
VCMT									
		11,1	6,35	3,18	2,9	0,4	VCGT 110304-ALU K15	●	8,60
		16,6	9,52	4,76	4,4	0,4	VCGT 160404-ALU K15	●	11,20
VCGT... ALU									

Order No.	Figure	(mm)					Designation	STOCK	€ NET/PC. NO MIN. pz/St/pcs
		l	d	s	d1	r			
 CNMG		12,9	12,7	4,76	5,16	0,8	CNMG120408 TM K300*	●	7,80
 WNMG		8,7	12,7	4,76	5,16	0,8	WNMG080408 TM K300*	●	7,80
 DNMG		15,5	12,7	6,35	5,16	0,8	DNMG150608 TM K300*	●	9,8

* INSERT FOR GENERAL-PURPOSE MACHINING OF STEEL AND CAST IRON.



PROFI-BOX CNMG 120408 SET

Art. SET PCLNR 2020 K12
Art. SET PCLNL 2020 K12

n° 1		PCLNR/L 2020 K12	x	●	118,-
n° 10		CNMG 120408 TM K300	x	●	118,-
n° 1		PCLNR/L 2525 M12	x	●	118,-
n° 10		CNMG 120408 TM K300	x	●	118,-

PROFI-BOX WNMG 080408 SET

Art. SET PWLNR 2020 K08
Art. SET PWLNL 2020 K08

n° 1		PWLNR/L 2020 K08	x	●	118,-
n° 10		WNMG 080408 TM K300	x	●	118,-
n° 1		PWLNR/L 2525 M08	x	●	118,-
n° 10		WNMG 080408 TM K300	x	●	118,-

WNMG080408 TM K300



PROFI-BOX CNMG 120408 SET

Art. SET DCLNR 2020 K12
Art. SET DCLNL 2020 K12

n° 1		DCLNR/L 2020 K12	x	●	138,-
n° 10		CNMG 120408 TM K300	x	●	138,-
n° 1		DCLNR/L 2525 M12	x	●	138,-
n° 10		CNMG 120408 TM K300	x	●	138,-

CNMG120408 TM K300

PROFI-BOX WNMG 080408 SET

Art. SET DWLNR 2020 K08
Art. SET DWLNL 2020 K08

n° 1		DWLNR/L 2020 K08	x	●	138,-
n° 10		WNMG 080408 TM K300	x	●	138,-
n° 1		DWLNR/L 2525 M08	x	●	138,-
n° 10		WNMG 080408 TM K300	x	●	138,-

WNMG080408 TM K300

PROFI-BOX SET DHN TiAlN ECO



WELDON

NECK

Art. SET DHN W 4T TiAlN 40°/41° ECO

n°			d	l	L	D	z	€/NET/PC.	STOCK	€/NET/SET n° 1 SET	€/NET/SET n° 5 SETS	€/NET/SET n° 10 SETS
n° 1		DHN0304 W TiAlN ECO	3	11	57	6	4	7,50				
n° 1		DHN0404 W TiAlN ECO	4	11	57	6	4	7,50	x			
n° 1		DHN0504 W TiAlN ECO	5	13	57	6	4	7,50				
n° 1		DHN0604 W TiAlN ECO	6	13	57	6	4	7,50				
n° 1		DHN0804 W TiAlN ECO	8	19	63	8	4	13,00	x	158,-	150,-	--
n° 1		DHN1004 W TiAlN ECO	10	22	72	10	4	21,00				
n° 1		DHN1204 W TiAlN ECO	12	26	83	12	4	29,00				
n° 1		DHN1604 W TiAlN ECO	16	32	92	16	4	65,00	x			
n° 1		DHN2004 W TiAlN ECO	20	38	104	20	4	84,00	x			

PROFI-BOX SET MSE TiSiN ECO



Art. SET MSE 4T TiSiN 35° ECO

n°			d	l	L	D	z	€/NET/PC.	STOCK	€/NET/SET n° 1 SET	€/NET/SET n° 5 SETS	€/NET/SET n° 10 SETS
n° 10		MSE0104 TiSiN ECO	1	3	50	4	4	5,00				
n° 10		MSE0154 TiSiN ECO	1,5	4	50	4	4	5,00				
n° 10		MSE0204 TiSiN ECO	2	5	50	4	4	5,00	x	358,-	--	--
n° 10		MSE0304 TiSiN ECO	3	8	50	4	4	5,00				
n° 10		MSE0404 TiSiN ECO	4	10	50	4	4	5,00				

Art. SET MPE 3T TiSiN 45° ECO

n°			d	l	L	D	z	€/NET/PC.	STOCK	€/NET/SET n° 1 SET	€/NET/SET n° 5 SETS	€/NET/SET n° 10 SETS
n° 10		MPE0103 TiSiN ECO	1	3	50	4	3	5,00				
n° 10		MPE0153 TiSiN ECO	1,5	4	50	4	3	5,00				
n° 10		MPE0203 TiSiN ECO	2	5	50	4	3	5,00	x	368,-	--	--
n° 10		MPE0303 TiSiN ECO	3	8	50	4	3	5,00				
n° 10		MPE0403 TiSiN ECO	4	10	50	4	3	5,00				

PROFI-BOX SET SE TiSiN ECO



Art. SET SE 4T TiSiN 35° ECO

n°			d	l	L	D	z	€/NET/PC.	STOCK	€/NET/SET n° 1 SET	€/NET/SET n° 5 SETS	€/NET/SET n° 10 SETS
n° 1		SE0204 TiSiN ECO	2	5	50	6	4	8,00				
n° 1		SE0304 TiSiN ECO	3	8	50	6	4	8,00	x			
n° 1		SE0404 TiSiN ECO	4	10	50	6	4	8,00				
n° 1		SE0504 TiSiN ECO	5	15	50	6	4	8,00				
n° 1		SE0604 TiSiN ECO	6	15	50	6	4	9,00				
n° 1		SE0804 TiSiN ECO	8	20	60	8	4	15,50	x	178,-	--	--
n° 1		SE1004 TiSiN ECO	10	25	75	10	4	26,00				
n° 1		SE1204 TiSiN ECO	12	30	75	12	4	41,00				
n° 1		SE1604 TiSiN ECO	16	45	100	16	4	109,00	x			
n° 1		SE2004 TiSiN ECO	20	45	100	20	4	121,00	x			

PROFI-BOX SET PE TiSiN ECO



Art. SET PE 4T TiSiN 45° ECO


n°			d	l	L	D	z	€/NET/PC.	STOCK	€/NET/SET n° 1 SET	€/NET/SET n° 5 SETS	€/NET/SET n° 10 SETS
n° 1		PE0604 TiSiN ECO	6	15	50	6	4	10,00				
n° 1		PE0804 TiSiN ECO	8	20	60	8	4	17,50	x	198,-	--	--
n° 1		PE1004 TiSiN ECO	10	25	75	10	4	31,00				
n° 1		PE1204 TiSiN ECO	12	30	75	12	4	43,50				



HOLDER FOR THE ER COLLET Ø 25


GES GEZ	(mm) D	CONO MORSE	KG	STOCK	€ _{NET/PC.}
GESK2-25 HD	25	MK2	0,950	●	336,00
GESK3-25 HD	25	MK3	1,100	●	336,00
GESK4-25 HD	25	MK4	1,400	●	336,00
GEZ20MM-25HD	25	CS20 cilindrico 20 mm	0,910	●	336,00

WITH COLLAR



GEY-M	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEY-M-M2	6	1,6	0,7-2,5	3300	●	70,00
GEY-M-M3	6	2,7	0,7-2,5	3000	●	70,00
GEY-M-M4	6	3,7	0,7-2,5	2700	●	70,00
GEY-M-M5	6	4,5	0,7-2,5	2600	●	76,00
GEY-M-M6	8	5,3	0,7-2,5	2500	●	84,00
GEY-M-M8	8	7,3	0,7-2,5	2300	●	104,00
GEY-M-M10	10	9,2	0,7-2,5	2100	●	128,00
GEY-M-M12	12	10,9	0,7-2,5	2000	●	140,00
GEY-M-G1/8	10	9,2	0,7-2,5	2100	●	172,00
GEY-M-G1/4	14	12,4	0,7-2,5	1800	●	150,00


GEY-M INOX	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEY-M-M5 INOX	6	4,6	0,7-1	2600	●	76,00
GEY-M-M6 INOX	8	5,4	0,7-1	2500	●	84,00
GEY-M-M8 INOX	8	7,4	0,7-1	2300	●	104,00
GEY-M-M10 INOX	10	9,3	0,7-1	2100	●	128,00



GEA-L	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEA-L-M2	6	1,6	0,7-4	3300	●	98,00
GEA-L-M3	6	2,7	0,7-4	3000	●	98,00
GEA-L-M4	6	3,7	0,7-4	2700	●	98,00
GEA-L-M5	6	4,5	0,7-4	2600	●	114,00
GEA-L-M6	8	5,3	0,7-4	2500	●	128,00
GEA-L-M8	8	7,3	0,7-4	2300	●	156,00
GEA-L-M10	10	9,2	0,7-4	2100	●	168,00
GEA-L-M12	12	10,9	0,7-4	2000	●	190,00
GEA-L-G1/8	10	9,2	0,7-4	2100	●	224,00
GEA-L-G1/4	14	12,4	0,7-4	1800	●	200,00


GEA-L INOX	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEA-L-M5 INOX	6	4,5	0,7-3	2600	●	114,00
GEA-L-M6 INOX	8	5,4	0,7-3	2500	●	128,00
GEA-L-M8 INOX	8	7,4	0,7-3	2300	●	156,00
GEA-L-M10 INOX	10	9,3	0,7-3	2100	●	168,00

WITHOUT COLLAR



GEY-MF	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEY-MF-M2	6	1,6	0,7-2,5	3300	●	76,00
GEY-MF-M3	6	2,7	0,7-2,5	3000	●	76,00
GEY-MF-M4	6	3,7	0,7-2,5	2700	●	76,00
GEY-MF-M5	6	4,5	0,7-2,5	2600	●	84,00
GEY-MF-M6	8	5,3	0,7-2,5	2500	●	96,00
GEY-MF-M8	8	7,3	0,7-2,5	2300	●	114,00
GEY-MF-M10	10	9,2	0,7-2,5	2100	●	134,00
GEY-MF-M12	12	10,9	0,7-2,5	2000	●	156,00
GEY-MF-G1/8	10	9,2	0,7-2,5	2100	●	124,00
GEY-MF-G1/4	14	12,4	0,7-2,5	1800	●	166,00

GEY-MF INOX	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEY-MF-M5 INOX	6	4,6	0,7-1	2600	●	84,00
GEY-MF-M6 INOX	8	5,4	0,7-1	2500	●	92,00
GEY-MF-M8 INOX	8	7,4	0,7-1	2300	●	114,00
GEY-MF-M10 INOX	10	9,3	0,7-1	2100	●	134,00





GEA-LF	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEA-LF-M2	6	1,6	0,7-4	3300	●	114,00
GEA-LF-M3	6	2,7	0,7-4	3000	●	114,00
GEA-LF-M4	6	3,7	0,7-4	2700	●	114,00
GEA-LF-M5	6	4,5	0,7-4	2600	●	128,00
GEA-LF-M6	8	5,3	0,7-4	2500	●	140,00
GEA-LF-M8	8	7,3	0,7-4	2300	●	168,00
GEA-LF-M10	10	9,2	0,7-4	2100	●	184,00
GEA-LF-M12	12	10,9	0,7-4	2000	●	206,00
GEA-LF-G1/8	10	9,2	0,7-4	2100	●	278,00
GEA-LF-G1/4	14	12,4	0,7-4	1800	●	214,00

GEA-LF INOX	d	(mm) D	h	min ⁻¹	STOCK	€ _{NET/PC.}
GEA-LF-M5 INOX	6	4,5	0,7-3	2600	●	128,00
GEA-LF-M6 INOX	8	5,4	0,7-3	2500	●	140,00
GEA-LF-M8 INOX	8	7,4	0,7-3	2300	●	168,00
GEA-LF-M10 INOX	10	9,3	0,7-3	2100	●	184,00

SET FSMUTB

PROTECTED
DESIGN

				d	n	h	STOCK	€ NET/SET
Art. SET FSMUTB.080	n° 1		n° 9 3x5 mm, 3x10 mm, 3x15 mm	80	22	15	●	198,00
Art. SET FSMUTB.150	n° 1		n° 12 3x5 mm, 3x10 mm, 3x15 mm, 3x20 mm	150	25	15	●	220,00
Art. SET FSMUTB.250	n° 1		n° 12 3x5 mm, 3x10 mm, 3x15 mm, 3x20 mm	250	50	15	●	310,00
Art. SET FSTB	n° 12		3x5 mm, 3x10 mm, 3x15 mm, 3x20 mm				●	70,00



DESIGN

- Magnetic workpiece back-stop, blue, universally adjustable (15 / 20 / 25 / 30 / 35 mm) for turning machines.
- Stud bolts (3x5 mm, 3x10 mm, 3x15 mm, 3x20 mm) with M5 thread and height orientation notch.
- M5 threads numbered 1-10 as an aid for positioning the height elements.
- By milling off the ribs up to jaw width 55 mm can be achieved (see n dimension).



CLEAN-JET

CLEANING TOOL



CLEAN-JET

Art. C-JET



STOCK
€ NET/SET

98,-

Tool holder	16 mm Weldon
Cleaning hole	2 axial + 1 radial
Maximum speed	60 RPM
Compressed air	6 bar
Cooling lubricant	max. 40 bar

The **CleanJet** enables efficient cleaning of the workpiece, vice and machine viewing window thanks to the specially positioned and aligned cleaning holes. The CleanJet is also ideal for cleaning deep pockets.

- Automated cleaning of your vice, your workpiece and your machine
- Process stability thanks to automated cleaning
- Cleaning with cooling lubricant or compressed air possible
- Easy: use an existing Weldon holder for shank diameter 16 mm.





PROFI-BOX

€_{NET/PC.}

STOCK

€_{NET/SET}

Art. SET 103.125.0050

n° 2



103.125.0050

189,-

● 754,-

Art. SET 103.160.0050




n° 2



103.160.0050

236,-

● 944,-



FLEX-STOP

WORKPIECE BACK-STOP FOR VICES



PROFI-BOX
FSMUMB

STOCK

€_{NET/SET}


Art. FSMUMB

● 98,-

DESIGN with Neodymium pot magnet (holding force: 52 kg) in WAG system packaging. Stainless steel and aluminium jaw anodised blue for optimum marking and brand positioning on the vice. Tool-free, flexible and universally placement of the workpiece in the vice in quickest time.

MARKING PEN

MARKING TOOL max. 50 HRC




GE-PEN

GE-PEN D12

STOCK

€_{NET/PC.}

● 278,-



GE-SPITZE

GE-SPITZE R0,3

GE-SPITZE R0,5

GE-SPITZE R1,0

STOCK

€_{NET/PC.}

● 62,-

● 62,-

● 62,-





SUITABLE FOR VICES:

- ALLMATIC NC8 125/160, HD 125/160, TC, TITAN2 125/160
- ARNO 125/160
- BULL pneumatik 125/160, mechanisch 125/160
- GRESSEL Gripes GPS125/160, Gripes GPS125/160-VS, Gripes 2, Gripes-5S/5X-S, Grefors, S2 Duogrip, C2, Ecopos
- KESEL CNC125/160
- RÖHM RKE125/160, RKE-L125/160, RKE-U125/160, RKG-L125/160, RKE-LV125/160
- WNT NCG 125/160, DSG4 125, HDG2 125/160, H5G 125, ZSG4 125/160, ESG4 125/160

✓ **PATENTED CLAMPING JAW SYSTEM**

✓ **FAST POSITION FIXING**

✓ **REUSABLE**

✓ **VERSATILE**

DESIGN

- Robust and stable, for high clamping forces and a long lifetime.
- Made of tool steel; hardened and grinded.
- The high-precision pins perform as a support as well as a workpiece stop.
- Low maintenance (regularly keep it running smoothly with oil).
- Easy handling using standard compressed air gun - Valves on both ends for maximum user-friendliness.



BENEFITS

- Position fixing fast and absolutely repeatable, comfortable and variable.
- Minimises the effort required for clamping different workpiece shapes and for position fixing.
- Accurate fit without programming and machining.
- Jaw inserts can be omitted.
- Fastest and cheapest solution for complex work pieces.
- Batch size 1: NO PROBLEM!
- Reusable: saves time and money!
- Simple assembly with screw lock on the vice.
- Suitable for both fixed and mobile jaws.
- No mechanical production should be without it: no matter if prototype production, small series or repair.



TECNOVOATOOLS, S.L.

SUMINISTROS DE MECANIZADO



Promoción Valida hasta:

31.12.2026

IVA no incluido

www.tecnovoatools.com

info@tecnovoatools.com

Tlf. 984 29 17 61

C/Galileo Galilei, 200 - Polígono Industrial Porceyo - 33211 Gijón (Asturias)